

L Number	Hits	Search Text	DB	Time stamp
40	108	((pre\$1pit adj signal) near3 generat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 15:05
-	106	("5923503" "5992004" "6204766" "4816362" "5506829" "5831966" "6243551" "4270132" "4318735" "4365258" "4396886" "4418472" "4449139" "4517579" "4520409" "4587533" "4625215" "4802160" "4828366" "4837426" "4847147" "4981836" "4987039" "5191563" "5231294" "5232567" "5241520" "5326676" "5329413" "5352501" "5357108" "5399372" "5410534" "5430695" "5438470" "5479308" "5493561" "5496653" "5528440" "5561896" "5587235" "5608591" "5619371" "5714044" "5783364" "5815342" "5821968" "5835802" "5880910" "5881035").pn. 09/982982	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:02
-	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:07

-	399	(multilayer\$ or multi-layer\$ or (multi\$3 adj layer\$)) and (phase adj change) and land and groove	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:29
-	253	(multilayer\$ or multi-layer\$ or (multi\$3 adj layer\$)) and (phase adj change) and land and groove and 369.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:30
-	379	369/94.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:07
-	3277	369/283.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:51
-	48	369/283.ccls. and (prepit or pre-pit or (pre adj pit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:19
-	47	369/283.ccls. and (prerecorded or pre-recorded or pre-written or prewritten)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 17:15
-	9	369/94.ccls. and (prepit or pre-pit or (pre adj pit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:06
-	25	369/94.ccls. and (prerecorded or pre-recorded or pre-written or prewritten)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:12
-	1286	369/275.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:12
-	287	369/275.3.ccls. and (prepit or pre-pit or (pre adj pit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:13
-	245	369/275.3.ccls. and (prepit or pre-pit or (pre adj pit)) and (reflect\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:04
-	161	369/275.3.ccls. and (pregroove or pre-groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:05

-	81	369/283.ccls. and (pregroove or pre-groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:23
-	12	369/94.ccls. and (pregroove or pre-groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:24
-	514	369/275.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:24
-	16271	pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:25
-	79	369/275.2.ccls. and (pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:35
-	168	369/53.24.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:49
-	239	369/53.29.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:49
-	42	369/53.29.ccls. and (pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 12:54
-	129	369/47.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 13:05
-	70	369/47.31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 13:15
-	429	369/59.25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 13:15
-	139	369/59.25.ccls. and (pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 13:33

-	1617	369/275.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 13:34
-	129	369/275.1.ccls. and (pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:02
-	1845	369/275.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:02
-	420	369/275.4.ccls. and (pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:03
-	332	369/275.4.ccls. and (pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4) and reflec\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:03
-	55	369/275.4.ccls. and (pregroove or pre-groove or prepit or pre-pit or prerecord\$4 or prewrit\$4) and reflec\$7 and (multilayer\$4 or multi-layer\$4 or (multiple adj layer\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:12
-	4	(recording adj mark adj signal) with (prepit or pre-pit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:13
-	70	(recording adj mark) with (prepit or pre-pit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:33
-	46	(mark with generat\$5) with (prepit or pre-pit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 14:49
-	45	(reflectivity or reflectance) same (differen\$6 or contrast\$4 or balanc\$4 or unbalanc\$4) same (prepit or pre-pit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:30
-	18	"207668"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:26
-	8	(average adj (reflectivity or reflectance)) same (prepit or pre-pit or pregroove or pre-groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:31

-	19	"207558"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:32
-	2	"2000-207558"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:32
-	9	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) same (prepit or pre-pit or pregroove or pre-groove) same RW	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:37
-	46	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) same (prepit or pre-pit or pregroove or pre-groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:45
-	334	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) and (prepit or pre-pit or pregroove or pre-groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 15:45
-	81	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) and (prepit or pre-pit or pregroove or pre-groove) and rw	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:04
-	2	2000-306596	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:00
-	2	"2000306596"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:00
-	2534	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) and 369.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:04
-	334	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) and (prepit or pre-pit or pregroove or pre-groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:04
-	23	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) and ((prepit or pre-pit or pregroove or pre-groove) with alternat\$7) and 369.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:04
-	228	(multilayer\$5 or multi-layer\$5 or (multiple adj layer)) and (prepit or pre-pit or pregroove or pre-groove) and 369.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 16:07

-	21	(detect\$5 near3 (prepit or pre-pit) near3 region)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 17:04
-	1	09/985783	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:49
-	6625	(inhibit\$5 or prevent\$5 or stop\$5 or disabl\$5 or terminat\$5 or paus\$5 or halt\$5) near10 (over\$1writ\$5 or re\$1writ\$5 or re\$1record\$5 or record\$5 or writ\$5) near10 (pre\$1pit or address or header)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:56
-	940	((inhibit\$5 or prevent\$5 or stop\$5 or disabl\$5 or terminat\$5 or paus\$5 or halt\$5) near10 (over\$1writ\$5 or re\$1writ\$5 or re\$1record\$5 or record\$5 or writ\$5) near10 (pre\$1pit or address or header)) and (optical near3 (disc or disk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:53
-	591	((inhibit\$5 or prevent\$5 or stop\$5 or disabl\$5 or terminat\$5 or paus\$5 or halt\$5) near10 (over\$1writ\$5 or re\$1writ\$5 or re\$1record\$5 or record\$5 or writ\$5) near10 (pre\$1pit or address or header)) near7 detect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:57
-	125	((((inhibit\$5 or prevent\$5 or stop\$5 or disabl\$5 or terminat\$5 or paus\$5 or halt\$5) near10 (over\$1writ\$5 or re\$1writ\$5 or re\$1record\$5 or record\$5 or writ\$5) near10 (pre\$1pit or address or header)) near7 detect\$5) and (optical near3 (disc or disk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:17
-	80	((((over\$1writ\$5 or re\$1writ\$5 or re\$1record\$5 or record\$5 or writ\$5) near10 (pre\$1pit or address or header)) near7 detect\$5) same (already adj (recorded or written))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:39
-	29	(already adj (recorded or written)) with pre\$1pit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:46
-	65	pre\$1pit same (recording adj mark)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:47
-	42	pre\$1pit same (mark near3 presen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:53
-	14	((pre\$1pit near3 generat\$4) with mark)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 15:02